Author index

Aarsman, A.J., see Pierik, A.J. (962) 345
Albers, J.J., see Cheung, M.C. (962) 258
Amy, R.M., see Dolphin, P.J. (962) 317
Angle, M.J., Paltauf, F. and Johnston, J.M.
Selective hydrolysis of ether-containing glycerophospholipids by phospholipase A_2 in rabbit lung (962) 234
Arima, M., see Sato, M. (962) 59
Ashton, D., see Diplock, A.T. (962) 42

Balasubramanian, K.A., Manohar, M. and Mathan, V.I.
An unidentified inhibitor of lipid peroxidation in intestinal mucosa (962) 51
Balasubramanian, K.A., see Diplock, A.T. (962) 42
Boland, R.L., see Drittanti, L. (962) 1
Borgström, B.
Mode of action of tetrahydrolipstatin: a derivative of the naturally occurring lipase inhibitor lipstatin (962) 308
Bowers, W.S., see Ryan, R.O. (962) 143
Brand, K., see Gross, G. (962) 220
Brasitus, T.A., see Dahiya, R. (962) 390
Buttriss, J.L. and Diplock, A.T.
The relationship between α-tocopherol and phospholipid fatty acids in rat liver subcellular membrane fractions (962) 81

Cabacungan, E.A., Gustow, E. and Pieringer, R.A.
In vivo studies on stereospecificity of the monoglyceride kinase, lysophosphatidic acid acyltransferase, phosphatidic acid phosphatase and CDP-diglyceride synthase of *Streptococcus mutans* BHT using the stereoisomers of the ether lipid, dodecylglycerol (962) 241
Cariven, C., see Prévost, M.-C. (962) 354
Chap, H., see Prévost, M.-C. (962) 354
Chapman, D., see Herzyk, E. (962) 131
Cheung, M.C., Wang, D., Lum, K.D. and Albers, J.J.
Cholesterol esterification by lecithin–cholesterol acyltransferase in A-I-free plasma (962) 258
Chijiiwa, K., Kiyosawa, R., Fukudome, K. and Nakayama, F.
Differences in the release of cholesterol from taurocholate versus taurochenodeoxycholate micellar solutions (962) 208
Christiansen, E.N., see Flatmark, T. (962) 122
Clandinin, M.T., see Garg, M.L. (962) 330
Clandinin, M.T., see Garg, M.L. (962) 337
Clandinin, M.T., see Hargreaves, K.M. (962) 98
Cottam, G.L., see Miller, B.C. (962) 25

Dahiya, R., Dudeja, P.K. and Brasitus, T.A.
Estrogen-induced alterations of the acidic and neutral glycosphingolipids of rat kidney (962) 390
Danzl, M., see Gross, G. (962) 220
De Boland, A.R., see Drittanti, L. (962) 1
De Lucchi, C., see Periago, J.L. (962) 66
Diplock, A.T., Balasubramanian, K.A., Manohar, M., Mathan, V.I. and Ashton, D.
Purification and chemical characterisation of the inhibitor of lipid peroxidation from intestinal mucosa (962) 42
Diplock, A.T., see Buttriss, J.L. (962) 81
Dolphin, P.J., Amy, R.M., Koeslag, D.G., Limoges, B.F. and Russell, J.C.
Reduction of hyperlipidemia in the LA/N-corpulent rat by dietary fish oil containing $n-3$ fatty acids (962) 317
Drittanti, L., De Boland, A.R. and Boland, R.L.
Effects of 1,25-dihydroxyvitamin D-3 on phospholipid metabolism in chick myoblasts (962) 1
Dudeja, P.K., see Dahiya, R. (962) 390

Edenharder, R. and Pfützner, A.
Characterization of NADP-dependent 12β-hydroxysteroid dehydrogenase from *Clostridium paraputrificum* (962) 362
Edenius, C., see Westlund, P. (962) 105
Eikhom, T.S., see Flatmark, T. (962) 122

Fiascone, J.M., see Jacobs, H.C. (962) 227
Fischer, W., see Gross, G. (962) 220
Flatmark, T., Nilsson, A., Kvannes, J., Eikhom, T.S., Fukami, M.H., Kryvi, H. and Christiansen, E.N.
On the mechanism of induction of the enzyme systems for peroxisomal β-oxidation of fatty acids in rat liver by diets rich in partially hydrogenated fish oil (962) 122
Frankel, E.N., see Hasegawa, K. (962) 371
Fujimoto, K., see Hasegawa, K. (962) 371
Fukami, M.H., see Flatmark, T. (962) 122
Fukudome, K., see Chijiiwa, K. (962) 208

Garg, M.L., Wierzbicki, A.A., Thomson, A.B.R. and Clandinin, M.T.
Dietary cholesterol and/or $n-3$ fatty acid modulate Δ^9-desaturase activity in rat liver microsomes (962) 330
Garg, M.L., Wierzbicki, A.A., Thomson, A.B.R. and Clandinin, M.T.
Fish oil reduces cholesterol and arachidonic acid content more efficiently in rats fed diets containing low linoleic acid to saturated fatty acid ratios (962) 337
Gil, A., see Periago, J.L. (962) 66
Girotti, A.W., see Thomas, J.P. (962) 297
Gower, D.B., see Kwan, T.K. (962) 214
Gray, M.E., see Swift, L.L. (962) 186
Groß, W., see März, W. (962) 155
Gross, G., Danzl, M., Fischer, W. and Brand, K.
Alterations of cellular lipids in rat thymocytes during cell cycle progression (962) 220
Gross, I., see Kresch, M.J. (962) 173
Guichardant, M., Naltachayan-Durbin, S. and Lagarde, M.
Occurrence of the 15-hydroxy derivative of dihomogamma-

Author index

Aarsman, A.J., see Pierik, A.J. (962) 345
Albers, J.J., see Cheung, M.C. (962) 258
Amy, R.M., see Dolphin, P.J. (962) 317
Angle, M.J., Paltauf, F. and Johnston, J.M.
Selective hydrolysis of ether-containing glycerophospholipids by phospholipase A_2 in rabbit lung (962) 234
Arima, M., see Sato, M. (962) 59
Ashton, D., see Diplock, A.T. (962) 42

Balasubramanian, K.A., Manohar, M. and Mathan, V.I.
An unidentified inhibitor of lipid peroxidation in intestinal mucosa (962) 51
Balasubramanian, K.A., see Diplock, A.T. (962) 42
Boland, R.L., see Drittanti, L. (962) 1
Borgström, B.
Mode of action of tetrahydrolipstatin: a derivative of the naturally occurring lipase inhibitor lipstatin (962) 308
Bowers, W.S., see Ryan, R.O. (962) 143
Brand, K., see Gross, G. (962) 220
Brasitus, T.A., see Dahiya, R. (962) 390
Buttriss, J.L. and Diplock, A.T.
The relationship between α-tocopherol and phospholipid fatty acids in rat liver subcellular membrane fractions (962) 81

Cabacungan, E.A., Gustow, E. and Pieringer, R.A.
In vivo studies on stereospecificity of the monoglyceride kinase, lysophosphatidic acid acyltransferase, phosphatidic acid phosphatase and CDP-diglyceride synthase of *Streptococcus mutans* BHT using the stereoisomers of the ether lipid, dodecylglycerol (962) 241
Cariven, C., see Prévost, M.-C. (962) 354
Chap, H., see Prévost, M.-C. (962) 354
Chapman, D., see Herzyk, E. (962) 131
Cheung, M.C., Wang, D., Lum, K.D. and Albers, J.J.
Cholesterol esterification by lecithin–cholesterol acyltransferase in A-I-free plasma (962) 258
Chijiiwa, K., Kiyosawa, R., Fukudome, K. and Nakayama, F.
Differences in the release of cholesterol from taurocholate versus taurochenodeoxycholate micellar solutions (962) 208
Christiansen, E.N., see Flatmark, T. (962) 122
Clandinin, M.T., see Garg, M.L. (962) 330
Clandinin, M.T., see Garg, M.L. (962) 337
Clandinin, M.T., see Hargreaves, K.M. (962) 98
Cottam, G.L., see Miller, B.C. (962) 25

Dahiya, R., Dudeja, P.K. and Brasitus, T.A.
Estrogen-induced alterations of the acidic and neutral glycosphingolipids of rat kidney (962) 390
Danzl, M., see Gross, G. (962) 220
De Boland, A.R., see Drittanti, L. (962) 1
De Lucchi, C., see Periago, J.L. (962) 66
Diplock, A.T., Balasubramanian, K.A., Manohar, M., Mathan, V.I. and Ashton, D.
Purification and chemical characterisation of the inhibitor of lipid peroxidation from intestinal mucosa (962) 42
Diplock, A.T., see Buttriss, J.L. (962) 81
Dolphin, P.J., Amy, R.M., Koeslag, D.G., Limoges, B.F. and Russell, J.C.
Reduction of hyperlipidemia in the LA/N-corpulent rat by dietary fish oil containing $n-3$ fatty acids (962) 317
Drittanti, L., De Boland, A.R. and Boland, R.L.
Effects of 1,25-dihydroxyvitamin D-3 on phospholipid metabolism in chick myoblasts (962) 1
Dudeja, P.K., see Dahiya, R. (962) 390

Edenharder, R. and Pfützner, A.
Characterization of NADP-dependent 12β-hydroxysteroid dehydrogenase from *Clostridium paraputrificum* (962) 362
Edenius, C., see Westlund, P. (962) 105
Eikhom, T.S., see Flatmark, T. (962) 122

Fiascone, J.M., see Jacobs, H.C. (962) 227
Fischer, W., see Gross, G. (962) 220
Flatmark, T., Nilsson, A., Kvannes, J., Eikhom, T.S., Fukami, M.H., Kryvi, H. and Christiansen, E.N.
On the mechanism of induction of the enzyme systems for peroxisomal β-oxidation of fatty acids in rat liver by diets rich in partially hydrogenated fish oil (962) 122
Frankel, E.N., see Hasegawa, K. (962) 371
Fujimoto, K., see Hasegawa, K. (962) 371
Fukami, M.H., see Flatmark, T. (962) 122
Fukudome, K., see Chijiiwa, K. (962) 208

Garg, M.L., Wierzbicki, A.A., Thomson, A.B.R. and Clandinin, M.T.
Dietary cholesterol and/or $n-3$ fatty acid modulate Δ^9-desaturase activity in rat liver microsomes (962) 330
Garg, M.L., Wierzbicki, A.A., Thomson, A.B.R. and Clandinin, M.T.
Fish oil reduces cholesterol and arachidonic acid content more efficiently in rats fed diets containing low linoleic acid to saturated fatty acid ratios (962) 337
Gil, A., see Periago, J.L. (962) 66
Girotti, A.W., see Thomas, J.P. (962) 297
Gower, D.B., see Kwan, T.K. (962) 214
Gray, M.E., see Swift, L.L. (962) 186
Groß, W., see März, W. (962) 155
Gross, G., Danzl, M., Fischer, W. and Brand, K.
Alterations of cellular lipids in rat thymocytes during cell cycle progression (962) 220
Gross, I., see Kresch, M.J. (962) 173
Guichardant, M., Naltachayan-Durbin, S. and Lagarde, M.
Occurrence of the 15-hydroxy derivative of dihomogamma-

linolenic acid in human platelets and its biological effect (962) 149
Gustafson, S., Vessby, B. and Östlund-Lindqvist, A.-M. Apolipoprotein-E-binding proteins of rat liver endothelial cells (962) 73
Gustow, E., see Cabacungan, E.A. (962) 241
Gutteridge, J.M.C., see Quinlan, G.J. (962) 196

Halliwell, B., see Quinlan, G.J. (962) 196
Handa, S., see Itabe, H. (962) 8
Hargreaves, K.M. and Clandinin, M.T. Dietary control of diacylphosphatidylethanolamine species in brain (962) 98
Hasegawa, K., Fujimoto, K., Kaneda, T. and Frankel, E.N. Characterization of fluorescent products from reaction of methyl linoleate hydroperoxides with adenine in the presence of Fe^{2+} and ascorbic acid (962) 371
Haunerland, N.H., see Ryan, R.O. (962) 143
Hein, L., see Trotz, M. (962) 248
Herzyk, E., Owen, J.S. and Chapman, D. The secondary structure of apolipoproteins in human HDL_3 particles after chemical modification of their tyrosine, lysine, cysteine or arginine residues. A Fourier transform infrared spectroscopy study (962) 131
Hirabayashi, Y., see Suzuki, Y. (962) 277
Hori, T., see Sugita, M. (962) 159
Hostetler, K.Y., see Trotz, M. (962) 248
Hutchison, D.M., see Sutherland, J.D. (962) 116

Inoue, K., see Itabe, H. (962) 8
Ishii, K., Kita, T., Kume, N., Nagano, Y. and Kawai, C. Uptake of acetylated LDL by peritoneal macrophages obtained from normal and Watanabe heritable hyperlipidemic rabbits, an animal model for familial hypercholesterolemia (962) 387
Itabe, H., Kushi, Y., Handa, S. and Inoue, K. Identification of 2-azelaoylphosphatidylcholine as one of the cytotoxic products generated during oxyhemoglobin-induced peroxidation of phosphatidylcholine (962) 8
Itonori, S., see Sugita, M. (962) 159

Jacobs, H.C., Lima, D.M., Fiascone, J.M. and Mercurio, M.R. Reutilization of surfactant phosphatidylglycerol and lysophosphatidylcholine by adult rabbits (962) 227
Johnston, J.M., see Angle, M.J. (962) 234

Kaneda, T., see Hasegawa, K. (962) 371
Kawai, C., see Ishii, K. (962) 387
Kita, T., see Ishii, K. (962) 387
Kiyosawa, R., see Chijiiwa, K. (962) 208
Koeslag, D.G., see Dolphin, P.J. (962) 317
Kresch, M.J., Smart, D.A., Wilson, C.M., Gross, I. and Rooney, S.A. Activities of enzymes of phospholipid and fatty acid synthesis in fetal and adult rat type II pneumocytes (962) 173
Kryvi, H., see Flatmark, T. (962) 122
Kume, N., see Ishii, K. (962) 387
Kushi, Y., see Itabe, H. (962) 8
Kvannes, J., see Flatmark, T. (962) 122
Kwan, T.K., Pertiwi, A.K.D., Taylor, N.F. and Gower, D.B. Steroid profiling in the study of rat testicular steroidogenesis (962) 214

Lagarde, M., see Guichardant, M. (962) 149
Lakey, J.H., see Maget-Dana, R. (962) 201
Lau, H.-W., see Miller, B.C. (962) 25
Law, J.H., see Ryan, R.O. (962) 143
Leger, C.L., see Mahe-Gouhier, N. (962) 91
LeQuire, V.S., see Swift, L.L. (962) 186
Lima, D.M., see Jacobs, H.C. (962) 227
Limoges, B.F., see Dolphin, P.J. (962) 317
Lindgren, J.Å., see Westlund, P. (962) 105
Lucas, J.J., see Seifert, S.C. (962) 16
Lum, K.D., see Cheung, M.C. (962) 258
Lundberg, B.B. Incorporation of cholesterol into apolipoprotein A-I-dimyristoylphosphatidylcholine recombinants (962) 265

Maget-Dana, R., Lakey, J.H. and Ptak, M. A comparative monomolecular film study of antibiotic A21978C homologues of various lipid chain length (962) 201
Mahe-Gouhier, N. and Leger, C.L. Immobilized colipase affinities for lipases B, A, C and their terminal peptide (336–449): the lipase recognition site lysine residues are located in the C-terminal region (962) 91
Manohar, M., see Balasubramanian, K.A. (962) 51
Manohar, M., see Diplock, A.T. (962) 42
Martin, T.W. Formation of diacylglycerol by a phospholipase D-phosphatidate phosphatase pathway specific for phosphatidylcholine in endothelial cells (962) 282
März, W. and Groß, W. Immunochemical evidence for the presence in human plasma of lipoproteins with apolipoprotein A-II as the major protein constituent (962) 155
Mathan, V.I., see Balasubramanian, K.A. (962) 51
Mathan, V.I., see Diplock, A.T. (962) 42
Matsumoto, M., see Suzuki, Y. (962) 277
Matsuo, M., see Sugata, S. (962) 385
Matsushima, Y., see Sugata, S. (962) 385
Menon, K.K.G., see Wagh, S.S. (962) 178
Mercurio, M.R., see Jacobs, H.C. (962) 227
Miller, B.C., Lau, H.-W., Tyler, N.E. and Cottam, G.L. Liver composition and lipid metabolism in NZB/W F_1 female mice fed dehydroisoandrosterone (962) 25
Moorhouse, C.P., see Quinlan, G.J. (962) 196

Nagano, Y., see Ishii, K. (962) 387
Nakayama, F., see Chijiiwa, K. (962) 208
Naltachayan-Durbin, S., see Guichardant, M. (962) 149
Natarajan, V., see Wagh, S.S. (962) 178
Naughton, J.M., Sinclair, A.J., O'Dea, K. and Steel, M.S. Effects of dietary butter enrichment on the fatty acid distribution of phospholipid fractions isolated from rat platelets and aortae (962) 166

Nijssen, J.G., see Pierik, A.J. (962) 345
Nilsson, A., see Flatmark, T. (962) 122

O'Dea, K., see Naughton, J.M. (962) 166
Ohsawa, I., see Shirai, K. (962) 377
Östlund-Lindqvist, A.-M., see Gustafson, S. (962) 73
Owen, J.S., see Herzyk, E. (962) 131

Paltauf, F., see Angle, M.J. (962) 234
Periago, J.L., De Lucchi, C., Gil, A., Suárez, M.D. and Pita, M.L.
Lipid composition of liver microsomes in rats fed a high monounsaturated fatty acid diet (962) 66
Pertiwi, A.K.D., see Kwan, T.K. (962) 214
Pfützner, A., see Edenharder, R. (962) 362
Pierik, A.J., Nijssen, J.G., Aarsman, A.J. and Van den Bosch, H.
Calcium-independent phospholipase A_2 in rat tissue cytosols (962) 345
Pieringer, R.A., see Cabacungan, E.A. (962) 241
Pita, M.L., see Periago, J.L. (962) 66
Prévost, M.-C., Cariven, C. and Chap, H.
Possible origins of PAF-acether and lyso-PAF-acether in rat lung alveoli secondary to hypoxia (962) 354
Ptak, M., see Maget-Dana, R. (962) 201

Quinlan, G.J., Halliwell, B., Moorhouse, C.P. and Gutteridge, J.M.C.
Action of lead(II) and aluminium(III) ions on iron-stimulated lipid peroxidation in liposomes, erythrocytes and rat liver microsomal fractions (962) 196

Rooney, S.A., see Kresch, M.J. (962) 173
Russell, J.C., see Dolphin, P.J. (962) 317
Ryan, R.O., Haunerland, N.H., Bowers, W.S. and Law, J.H.
Insect lipid transfer particle catalyzes diacylglycerol exchange between high-density and very-high-density lipoproteins (962) 143

Sagami, F., see Suzuki, Y. (962) 277
Saito, Y., see Shirai, K. (962) 377
Sakuragawa, N., see Sato, M. (962) 59
Sanai, Y., see Sugita, M. (962) 159
Sato, M., Yoshida, Y., Sakuragawa, N. and Arima, M.
Effects of dimethylsulfoxide on sphingomyelinase activities in normal and Niemann-Pick type A, B and C fibroblasts (962) 59
Schauenstein, E., see Sharaf El Din, M. (962) 37
Schaur, R.J., see Sharaf El Din, M. (962) 37
Seifert, S.C. and Lucas, J.J.
Incorporation of mevalonate into dolichol and other isoprenoids during estrogen-induced chick oviduct differentiation (962) 16
Sharaf El Din, M., Schaur, R.J. and Schauenstein, E.
Uptake of ferrous iron histidinate, a promoter of lipid peroxidation, by Ehrlich ascites tumor cells (962) 37
Shirai, K., Ohsawa, I., Saito, Y. and Yoshida, S.
Effects of phospholipids on hydrolysis of trioleoylglycerol by human serum carboxylesterase (962) 377
Sinclair, A.J., see Naughton, J.M. (962) 166
Smart, D.A., see Kresch, M.J. (962) 173
Steel, M.S., see Naughton, J.M. (962) 166
Suárez, M.D., see Periago, J.L. (962) 66
Sugata, S., Urano, S., Matsushima, Y. and Matsuo, M.
A comment on the evaluation of equilibrium constants for α-tocopherol interactions with fatty acids by absorbance in the ultraviolet region (962) 385
Sugita, M., Sanai, Y., Itonori, S. and Hori, T.
Immunogenic properties of mannose-containing ceramide tetrasaccharide from fresh-water bivalve, *Hyriopsis schlegelii* (962) 159
Sutherland, J.D., Hutchison, D.M. and Williams, C.N.
Lyophilized *Clostridium perfringens* 3α- and *Clostridium bifermentans* 7α-hydroxysteroid dehydrogenases: two new stable enzyme preparations for routine bile acid analysis (962) 116
Suzuki, Y., Hirabayashi, Y., Sagami, F. and Matsumoto, M.
Gangliosides in the blood plasma: levels of ganglio-series gangliosides in the plasma after administration of brain gangliosides (962) 277
Swift, L.L., Gray, M.E. and LeQuire, V.S.
Intestinal lipoprotein synthesis in control and hypercholesterolemic rats (962) 186

Taylor, N.F., see Kwan, T.K. (962) 214
Thomas, J.P. and Girotti, A.W.
Photooxidation of cell membranes in the presence of hematoporphyrin derivative: reactivity of phospholipid and cholesterol hydroperoxides with glutathione peroxidase (962) 297
Thomson, A.B.R., see Garg, M.L. (962) 330
Thomson, A.B.R., see Garg, M.L. (962) 337
Trotz, M., Hein, L. and Hostetler, K.Y.
Solubilization and partial characterization of phospholipase A from rat heart sarcoplasmic reticulum (962) 248
Tyler, N.E., see Miller, B.C. (962) 25

Urano, S., see Sugata, S. (962) 385

Van den Bosch, H., see Pierik, A.J. (962) 345
Vessby, B., see Gustafson, S. (962) 73

Wagh, S.S., Menon, K.K.G. and Natarajan, V.
Evidence for the incorporation of [^{32}P]orthophosphate into leaf inositol phospholipids (962) 178
Wang, D., see Cheung, M.C. (962) 258
Westlund, P., Edenius, C. and Lindgren, J.Å.
Evidence for a novel pathway of leukotriene formation in human platelets (962) 105
Wierzbicki, A.A., see Garg, M.L. (962) 330
Wierzbicki, A.A., see Garg, M.L. (962) 337
Williams, C.N., see Sutherland, J.D. (962) 116
Wilson, C.M., see Kresch, M.J. (962) 173

Yoshida, S., see Shirai, K. (962) 377
Yoshida, Y., see Sato, M. (962) 59